

ARCHITECTURAL SPECIFICATIONS

HPX-900

HydraPort 9 Module Connection Port – Brushed Aluminum (FG560-02-SL)

HydraPort 9 Module Connection Port – Black Anodized (FG560-02-BL)

DESIGN

- Elegantly connect portable devices at your desk, lectern or table - Ideal for connecting laptops and other portable devices at a desk, lectern, or table using integrated or pass-through connectors for audio, video, Ethernet, USB, and power, plus control
- Module Connection Chassis must allow users the ability to populate the Chassis with different connection types that meet their current and future needs. Module Connection Chassis that do not also use selectable modular connection types shall not be accepted
- Module Connection Chassis must support up to six (9) single-space module. Module Connection Chassis that do not support up to six (9) single-space module units shall not be accepted
- Module Connection Chassis must be elegant and unobtrusive with flush mount design that cleanly install into a lectern or table and the lid conveniently opens in both directions. Module Connection Chassis that do not allow flush mount installation with the ability for the lid to be opened in both directions shall not be accepted
- Module Connection Chassis must not protrude more than 3/8" above the mounting surface with the lid in the open position. Module Connection Chassis that do protrude more than 3/8" above the mounting surface when open shall not be accepted.
- Module Connection Chassis must allow population of a power module that includes power cords that connect directly to a wall or floor outlet eliminating the need for an electrician. Module Connection Chassis that require the need for an electrician to connect a power module shall not be accepted
- Model Connection Chassis must allow population of a Metreau or Novara Keypad module to control A/V devices, lighting or shades as well as initiate pre-programmed events. Model connection Chassis that do not allow population of a Metreau or Novara Keypad shall not be accepted
- Module Connection Chassis must be available in Anodized Aluminum – These stylish, low profile connectivity ports have the same contemporary brushed aluminum enclosure as the higher-end office furniture manufacturers at the same price as most competitive painted metal models. Module Connection Chassis that are not available in Anodized Aluminum shall not be accepted

TECHNICAL SPECIFICATIONS:

- **DIMENSIONS**
 - Max above mounting surface: 5/16" (7.3mm) with lid open, 1/8" (3mm) with lid closed
 - Max below mounting surface: 6 15/16" (175 mm)
 - Mounting surface footprint: 11 5/32" x 5 7/16" (283mm x 138mm)
 - Min. mounting surface thickness: 3/4" (19 mm)
 - Max mounting surface thickness: 2" (51 mm)
 - Table Cutout Dimensions: 10.59" x 4.84" (269mm x 123mm)
- **NUMBER OF MODULES SUPPORTED**
 - Module sizes are provided in "HydraPort units". Modules range in size from 1/2 to 4 1/2 HydraPort units
 - The HPX-600 support up to six (9) total single-space modules

OPTIONAL ACCESSORIES

- HPX-AV101-HDMI: Single HDMI Module with Integrated Cable
- HPX-AV101-DVI: Single DVI Module with Integrated Cable
- HPX-AV101-DVI+A: DVI with Stereo Module with Integrated Cables
- HPX-AV100-CS+A: Composite with Stereo Module
- HPX-AV101-RGB+A: RGB: RGB with Stereo Module with Integrated Cables
- HPX-AV100-RGB+A: RGBHV with Stereo Module
- HPX-C5400-CS+A: Composite with Stereo UPX Cat5 Kit with HPX Carrier Module
- HPX-C5400-VGA+A: RGBHV with Stereo UPX Cat5 Kit with HPX Carrier Module
- HPX-C5400-CN+A: Component with Stereo UPX Cat5 Kit with HPX Carrier Module
- HPX-N100-RJ45: Single RJ-45 Module
- HPX-N102-RJ45: Dual RJ-45 Module
- HPX-N100-USB: Single USB Module
- HPX-CPT200-W: HydraPort Cable Pass-Thru Module
- X-U100-BTN: Single Button Module with LED
- HPX-U200-MOD: Modero Connection Module
- HPX-U400-MET-6N: Metreau 6-Button Keypad Kit with HPX Carrier
- HPX-U400-MET-7: Metreau 7-Button Keypad Kit with HPX Carrier
- HPX-U400-MET-13: Metreau 13-Button Keypad Kit with HPX Carrier
- HPX-U400-R-MET-6N: Metreau 6-Button Keypad Ramp Mount Kit
- HPX-U400-R-MET-7: Metreau 7-button Keypad Ramp Mount Kit
- HPX-U400-R-MET-13: Metreau 13-Button Keypad Ramp Mount Kit

- HPX-U400-CP-1008: Novara 8-Button ControlPad (US) Module
- HPX-U400-SP-08-AX: Novara 8-Button Keypad with AxLink (US) Module
- HPX-P200-PC-US: Power Outlet (US) Module
- HPX-P250-PC-UK: HPX-P250-PC-UK Module
- HPX-P200-PC-EU: Power Outlet (EU) Module
- HPX-P200-PC-AU: Power Outlet (AU) Module with Cord
- HPX-P250-PC-IN: Power Outlet (IN) Module
- HPX-B050: 1/2 M Blank Panel
- HPX-B100: 1 M Blank Panel
- HPX-B200: 2 M Blank Panel
- HPX-B050-L: 1/2 M Custom Label Panel
- HPX-B100-L: M Custom Label Panel
- HPX-B050-L: 1/2 M Custom Label Panel
- HPX-B100-L: 1 M Custom Label Panel