

# Confidea F-DM Mike

## Confidea Flushmount Delegate Microphone Unit



### Description

The Confidea F-DM Mike is Televic's microphone panel for basic discussion systems. Its small form factor, housed in an elegant casing, permits a minimalistic integration into any meeting room furniture.

Since the Confidea F-DM Mike panel has no integrated speaker, it is intended for use at venues where a room sound system is already installed.

The panel has a microphone connector to fit the new push-and-lock Mike microphone that reduces setup time. The chairperson version of this panel has additional controls (see Confidea F-CM Mike 71.98.0545).

### Benefits

The Confidea F-DM Mike is a sleek and discreet solution that is perfectly suited to conference rooms with an existing sound system.

The unit is available in a variety of custom colors, sizes and finishes to blend in neatly in any environment.

The Confidea F-DM Mike is backed by the Plixus® network and redundant cabling to ensure maximum reliability. Finally, its shielded microphone is immune to mobile phone interference.

### Features

- » Basic discussion function
- » Tactile microphone push button with integrated LED
- » Rounded corners for easy installation
- » Trademark natural Televic Sound
- » Available in custom colors, sizes, finishes

### Connectivity

- » Push & Lock socket to connect a removable microphone:
  - Mike LPM 71.98.0091
  - Mike PLM301F 71.98.0093
  - Mike PLM401F 71.98.0094
  - Mike PLM502F 71.98.0095
  - Mike PLM602F 71.98.0096
  - Mike PLM402F 71.98.0098
  - Mike PLM40FF 71.98.0099
- » Two RJ 45 connectors for loop through cabling
- » Plixus-powered




Specifications

Mechanical	
Material	Steel
Color	Tiger coating Carbon 01
Size (mm)	150 (w) × 50 (h) × 85 (d)
Size packed (mm)	190 (w) × 85 (h) × 105 (d)
Weight	280 g
Weight packed	360 g
Electrical	
Voltage	48 VDC
Current consumption	3 W
Microphone Input	
Dynamic range	> 90 dB
Frequency response	20-20,000 Hz
THD @ nominal level	0.1%

Certification

Region	Certification
Europe	CE

Technical Drawings



**HQ Belgium**

+32 51 30 30 45

conference@televic.com

<https://www.televic.com/en/conference>

**Asia**

+86 21 61 48 01 23

conference@televic.com

[www.televic-conference.com.cn](http://www.televic-conference.com.cn)

**France**

+33 3 74 09 52 76

conference-france@televic.com

[www.televic-conference.fr](http://www.televic-conference.fr)

**United States**

+1 916 920 0901

conference-us@televic.com

All information copyright Televic Conference, 2025.  
Televic reserves the right to change this document  
without notice.

Version 1.2